



ARKOS DRIVZ 22000 0W-20 Passenger Car Engine Oil

ARKOS DRIVZ 22000 0W-20 is a fully synthetic, high- performance engine oil, formulated with Synthetic base oils and high performance additive packages. The engine oil is specifically formulated to meet the requirements of engines fitted on all new generation passenger cars to ensure superlative performance.

Benefits

- Special synthetic base stocks and additives ensure that **ARKOS DRIVZ 22000**, SAE 0W-20 maintains ideal viscosity under a wide range of conditions, thereby reducing friction, fuel consumption and therefore noxious emissions. The engine oil formulated with Synthetic Technology base oils, decrease volatility which diminish oil consumption thus reducing emissions from unburned oil in exhaust.
- The Synthetic Base oil components increase adhesion of a film of oil to metal parts even when the engine has been standing for long periods, ensuring easy starting and greatly reducing wear in the critical first phases of ignition.
- **ARKOS DRIVZ 22000** maintain its viscosity and lubricity even under gruelling driving conditions, minimizing engine wear, ensuring long life for all moving parts and substantially reduces the need for engine servicing and overhauling.
- This oil delivers increased detergency, keeping engines free of sludge, varnish, and other harmful substances.
- Offers excellent thermal & oxidation resistance. In addition, provides excellent wear protection.
- Excellent protection against Low Speed Pre-ignition (LSPI) issues.

Applications

ARKOS DRIVZ 22000 0W-20 is suitable for all new generation passenger cars.

Performance Specifications

ARKOS DRIVZ 22000 0W-20 meets the requirements of the following service specifications:

- API SP
- ILSAC GF-6

Characteristics (Typical Values)

ARKOS DRIVZ 22000 0W-20		
TEST PARAMETERS	METHOD	TYPICAL VALUES
Density at 29.5°C	am/cc	0.837
Viscosity at 100 °C	mm ² /s	8.18
Viscosity at 40 °C	mm ² /s	42.62
Viscosity at -35 °C	mPa·s	5952

Viscosity Index	-	175
Flash Point	°C	208
Pour Point	°C	-35

Note: Always consult your owner’s manual to check for recommended viscosity grade and specifications of oil for your particular vehicle/machine/equipment.



Disclaimer: APAR makes no warranties, representation or conditions of any kind expressed or implied for use with respect to these products. Final determination of suitability of the products for the application contemplated by the user is solely their responsibility. Website: www.apar.com