



ARKOS DRIVZ 6000 20W-50 Passenger Car Engine Oil

ARKOS DRIVZ 6000 20W-50 is a high-performance engine oil for every type of passenger car engine operating under heavy duty. Developed from premium base oils and special high-performance additives, the finished oil aids in excellent level of engine protection and performance under the most demanding operating conditions. Recommended for new generation passenger cars, SUVs, gasoline powered equipment etc.

Benefits

- ARKOS DRIVZ 6000 20W-50 has a high VI, which keeps the oil free flowing when cold and maintains high viscosity when hot. The same grade of lubricant can therefore be used in all seasons
- Their superior detergent-dispersant properties effectively minimize the formation of lacquer and varnish, as well as sludge and other deposits. Thus helps prevent ring sticking, keeps pistons clean and maintains deposits in suspension
- The engine oil is highly resistant to deterioration especially that caused by prolonged high-temperature operation in the presence of air and other agents
- The engine oil has special anticorrosion properties which ensure effective protection against corrosion by combustion moisture and acids
- The anti-wear properties ensure long life for all moving parts, substantially reducing the need for engine servicing and overhauls
- Increases engine efficiency

Applications

Recommended for lubrication of all Gasoline & Heavy duty passenger cars.

Performance Specifications

ARKOS DRIVZ 6000 20W-50 is API licensed for API SN Specification

Characteristics (Typical Values)

ARKOS DRIVZ 6000 20W-50		
TEST PARAMETERS	METHOD	TYPICAL VALUES
Viscosity at 100°C	mm ² /s	18.0
Viscosity at -15 °C	mPa·s	8258
Viscosity Index	-	122
Flash Point COC	°C	230
Pour Point	°C	-21
Density at 29.5°C	gm/cc	0.88
Viscosity at 100°C	mm ² /s	18.0

Note: Always consult your owner's manual to check for recommended viscosity grade and specifications of oil for your particular vehicle/machine/equipment.



Disclaimer: APAR makes no warranties, representation or conditions of any kind expressed or implied for use with respect to these products. Final determination of suitability of the products for the application contemplated by the user is solely their responsibility. Website: