

(Petroleum Specialities FZE)

Safety Data Sheet

In accordance with Regulation (EC) No. 1907/2006 (REACH), amended by

SECTION 1 IDENTIFICATION OF THE SUBSTANCE / MIXTURE AND OF THE COMPANY / UNDERTAKING

Product identifier POWEROIL FLEXOIL P 25

Other means of identification

Not available.

Recommended use

Industrial Lubricants, Grease Manufacturing, Hydraulic Oils, Gear Oils, Heavy Duty Engine Oil,

Bar & Chain, Carriers & Diluents, Engine Oil.

Recommended restrictions None known.

Manufacturer/Importer/Supplier/Distributor information

Manufacturer

Manufacturer: Petroleum Specialities FZE

Address: Hamriyah Free zone- Phase 1, Plot no. 1C-02D1, Sharjah, PO box: 42180. United Arab Emirates.

E-mail: psf.hse@apar.com

Emergency Contacts +971566893936

SECTION 2 HAZARD IDENTIFICATION

Physical hazards HealthNot classifiedHazards EnvironmentalNot classifiedHazards OSHA definedNot classifiedHazardsNot classified

Label elements

Hazard symbol None

Signal word

Hazard statement

Prevention

Response

Storage

Disposal

Not Applicable

Not Applicable

Not Applicable

Not Applicable

Not Applicable

Hazard(s) not otherwise classified

(HNOC)

See section 11 of the SDS for additional information on health hazards.

Supplemental information None

SECTION 3 COMPOSITION / INFORMATION ON INGREDIENTS

		_		
2 1	1 0.	ıha	ton	

0.1 Substatice					
Ingredient Name	% (Weight)	CAS No.	EC No.		
Residual oils (petroleum), solvent-dewaxed	100	64742-62-7	265-166-0		

Composition comments: Components not listed are below the required disclosure threshold per OSHA 29 CFR 1910.1200.

SECTION 4 FIRST AID MEASURES

4.1 Description of first aid measures

Inhalation

Eye Contact

If this product comes in contact with eyes:

> Wash out immediately with water

> If irritation continues, seek medical attention.

> Removal of contact lenses after an eye injury should only be undertaken by skilled personnel.

If skin or hair contact occurs:

Skin Contact

Flush skin and hair with running water (and soap if available).

> Seek medical attention in event of irritation.

Seek medical attention in event of irritation.

➤ If fumes, aerosol or combustion products are inhaled remove from contaminated area. Other measures are usually unnecessary.

Ingestion Immediately give a glass of water.

> First aid is not generally required. If in doubt, contact a Poisons Information Centre or a

doctor.

4.2 Most important symptoms and effects, both acute and delayed

See section 11

Product Name : POWEROIL FLEXOIL P 25 Version No. : 01 Issue Date : 1st January 2024

SDS (EU 878/2020)



(Petroleum Specialities FZE)

Safety Data Sheet

In accordance with Regulation (EC) No. 1907/2006 (REACH), amended by

4.3 Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

SECTION 5 FIRE FIGHTING MEASURES

5.1 Extinguishing media

- > Dry chemicals Powder.
- ➤ Foam.
- > BCF (where regulations permit).
- > Carbon dioxide (CO2).
- ➤ Water spray or fog Large fires only.

5.2 Special hazards arising from the substrate or mixture

Fire incompatibility

Avoid contamination with oxidizing agents i.e. nitrates, oxidizing acids, chlorine acids, chlorine bleaches, pool chlorine etc. as ignition may results.

5.3 Advice for firefighters

Fire fighting

- ➤ Alert Fire Brigade and tell them location and nature of hazard.
- > Wear full body protective clothing with breathing apparatus.

SECTION 6 ACCIDENTAL RELEASE MEASURES

6.1 Personal precautions, protective equipment and emergency procedures

See section 8

6.2 Environmental precautions

See section 12

6.3 Methods and material for containment and cleaning up

- > Remove all ignitions sources.
- > Clean up all spills immediately.

Minor spills

- > Avoid breathing vapours and contact with skin and eyes.
- Control personal contact with the substance, by using protective equipment.
- Contain and absorb spill with sand, earth, inert material or vermiculite.
- > Wipe up. Place in a suitable, labelled container for waste disposal.

SECTION 7 HANDLING AND STORAGE

7.1 Precautions for safe handling

- Avoid all personal contact, including inhalation.
- > Wear protective clothing when risk of exposure occurs.
- > Use in a well-ventilated area.
- > Prevent concentration in hollows and sumps.
- > DO NOT enter confined spaces until atmosphere has been checked.
- Avoid smoking, naked lights or ignition sources.
- Avoid contact with incompatible materials. When handling, DO NOT eat, drink or smoke.
- ➤ Keep containers securely sealed when not in use. Avoid physical damage to containers.
- Always wash hands with soap and water after handling.
- ➤ Work clothes should be laundered separately.
- ➤ Use good occupational work practice.
- Observe manufacturer's storage and handling recommendations contained within this SDS. Atmosphere should be regularly checked against established exposure standards to ensure safe working conditions.

Fire and explosion protection

See section 5

7.2 Conditions for safe storage, including any in compatibilities

Suitable container

- ➤ Metal can or drum
- > Packaging as recommended by manufacturer.
- Check all containers are clearly labeled and free from leaks.

Product Name : POWEROIL FLEXOIL P 25 Version No. : 01 Issue Date : 1st January 2024

Safe Handling



(Petroleum Specialities FZE)

Safety Data Sheet

In accordance with Regulation (EC) No. 1907/2006 (REACH), amended by

Storage incompatibility Avoid reaction with oxidizing agents.

7.3 Specific end use(s) Not available

SECTION 8 EXPOSURE CONTROLS / PERSONAL PROTECTION

Occupational exposure limits No exposure limits noted for ingredient(s).

Biological limit valuesNo biological exposure limits noted for the ingredient(s).

Appropriate engineering controls Adequate ventilation should be provided whenever the material is heated or mists are generated. Provide adequate ventilation, including appropriate local extraction, to ensure that the defined occupational exposure limit is not exceeded.

Individual protection measures, such as personal protective equipment

Eye/face protection: Goggles/face shield are recommended.

Hand protection: Chemical resistant gloves are recommended. If contact with forearms is likely wear gauntlet style gloves.

Other: Chemical/oil resistant clothing is recommended. Launder contaminated clothing before reuse.

Respiratory protection: Under normal conditions, respirator is not normally required.

Thermal hazards: Not available.

General hygiene considerations Always observe good personal hygiene measures, such as washing after handling the material and before eating, drinking, and/or smoking. Routinely wash work clothing to remove contaminants.

Discard contaminated footwear that cannot be cleaned

SECTION 9 PHYSICAL AND CHEMICAL PROPERTIS

Appearance

Physical state : Liquid. [Viscous liquid.]

Color : Amber.

Odor : Characteristic Hydrocarbon.

Odor threshold : Not available. pH : Not available.

Melting point/Freezing Point : 3°C
Boiling point :>400°C

Flash point : Open cup: >270°C [Cleveland.]

Evaporation rate : Not available.
Flammability (solid, gas) : Not available.
Lower and upper explosive : Not available.

(flammable) limits

Vapor pressure : Not available.
Vapor density : Not available.

Density : 0.880 to 0.900 gm/ml at 29.5°C

Solubility : Insoluble in the following materials: cold water and hot water.

Partition coefficient: n- octanol

Auto-ignition temperature

Decomposition temperature

: Not available.

: Not available.

Viscosity : Kinematic (40°C (104°F)): 4.40 to 5.10 cm²/s (440 to 510 cSt)

SECTION 10 STABILITY AND REACTIVITY

Reactivity The product is stable and non-reactive under normal conditions of use, storage and transport

Chemical stability Stable

Possibility of hazardous reactions Hazardous polymerization does not occur.

Conditions to avoid Heat, flames and sparks. Avoid temperatures exceeding the flash point.

Incompatible materials Strong oxidizing agents.

Product Name : POWEROIL FLEXOIL P 25

SDS (EU 878/2020)

Version No. : 01 Issue Date : 1st January 2024

Page 3 of 6



Safety Data Sheet

In accordance with Regulation (EC) No. 1907/2006 (REACH), amended by

(Petroleum Specialities FZE)

Hazardous decomposition products Upon decomposition, this product emits carbon monoxide, carbon dioxide and/or low molecular weight

SECTION 11 TOXICOLOGICAL INFORMATION

Information on likely routes of exposure

Ingestion May cause gastrointestinal discomfort if swallowed. Do not induce vomiting. Vomiting may

increase risk of product aspiration.

Inhalation May be harmful if inhaled. However, this product does not currently meet the criteria for

classification.

Skin contact Frequent or prolonged contact may defat and dry the skin, leading to discomfort and

dermatitis

Eve contact May be irritating to eyes.

Symptoms related to the physical,

chemical and toxicological

characteristics

Not available.

Information on toxicological effects

Not classified Acute toxicity

Skin corrosion/irritation Not classified. May cause defatting of the skin, but is neither an irritant nor a sensitizer.

Serious eye damage/eye irritation Not classified

Respiratory or skin sensitization Respiratory sensitization Not classified Skin sensitization Not classified

Non-mutagenic based on Modified Ames Assay Germ cell mutagenicity

This product is not considered to be a carcinogen by IARC, ACGIH, NTP, or OSHA. Meets EU Carcinogenicity

requirement of less than 3% (w/w) DMSO extract for total polycyclic aromatic compound (PAC)

using IP 346. Endocrine disrupting properties

Not listed

US. OSHA Specifically Regulated Substances (29 CFR 1910.1001-1050)

Not listed.

Reproductive toxicity Contains no ingredient listed as toxic to reproduction

Specific target organ toxicity Not classified

- single exposure

Specific target organ toxicity

- repeated exposure

Not classified

Aspiration hazard Not classified

Chronic effects Prolonged or repeated contact may cause drying, cracking, or irritation of the skin.

ECTION 12 ECOLOGICAL INFORMATION

Ecotoxicity Not expected to be harmful to aquatic organisms.

Persistence and degradability Not inherently biodegradable.

Bioaccumulative potential Bioaccumulation is unlikely to be significant because of the low water solubility of this product.

Mobility in soil Not available. Endocrine disrupting properties Not listed

Other adverse effects No other adverse environmental effects (e.g. ozone depletion, photochemical ozone creation potential,

endocrine disruption, global warming potential) are expected from this component.

Product Name : POWEROIL FLEXOIL P 25 SDS (EU 878/2020) Version No.: 01 Issue Date: 1st January 2024 Page 4 of 6



(Petroleum Specialities FZE)

Safety Data Sheet

In accordance with Regulation (EC) No. 1907/2006 (REACH), amended by

SECTION 13 DISPOSAL CONSIDERATIONS

Disposal instructions When this product as supplied is to be discarded as waste, it does not meet the definition of a RCRA

> waste under 40 CFR 261. Disposal recommendations are based on material as supplied. Disposal must be in accordance with current applicable laws and regulations, and material characteristics at time of

disposal.

Hazardous waste code Not applicable.

Waste from residues / unused

Contaminated packaging

products

Dispose of in accordance with local regulations. Avoid discharge into water courses or onto the ground.

Empty containers should be taken to an approved waste handling site for recycling or disposal.

Since emptied containers may retain product residue, follow label warnings even after container is

emptied. Offer rinsed packaging material to local recycling facilities.

SECTION 14 TRANSPORT INFORMATION

Not regulated as dangerous goods DOT Not regulated as dangerous goods IATA Not regulated as dangerous goods **IMDG**

Transport in bulk according to

Annex II of MARPOL 73/78 and

the IBC Code

Not available.

ECTION 15 TRANSPORT INFORMATION

This product is not known to be a "Hazardous Chemical" as defined by the OSHA Hazard US federal regulations

Communication Standard, 29 CFR 1910.1200.

All components are on the U.S. EPA TSCA Inventory List.

Inventory status On inventory (yes/no)*

Country(s) or region On Inventory name

Australia	Australian Inventory of Chemical Substances (AICS)	Yes
Canada	Domestic Substances List (DSL)	Yes
Canada	Non-Domestic Substances List (NDSL)	No
China	Inventory of Existing Chemical Substances in China (IECSC)	Yes
Europe	European Inventory of Existing Commercial Chemical Substances	Yes
Europe	(EINECS)	Yes
Japan	European List of Notified Chemical Substances (ELINCS)	No
Korea	Inventory of Existing and New Chemical Substances (ENCS)	Yes
New Zealand	Existing Chemicals List (ECL)	Yes
Philippines	New Zealand Inventory	Yes
United States & Puerto Rico	Philippine Inventory of Chemicals and Chemical Substances (PICCS)	Yes
	Toxic Substances Control Act (TSCA) Inventory	

^{*}A "Yes" indicates that all components of this product comply with the inventory requirements administered by the governing country(s)

SECTION 16 OTHER INFORMATION

Key to abbreviations BCF = Bio concentration Factor

GHS = Globally Harmonized System of Classification and Labelling of Chemicals

IATA = International Air Transport Association

IBC = Intermediate Bulk Container

IMDG = International Maritime Dangerous Goods

LogPow = logarithm of the octanol/water partition coefficient

MARPOL 73/78 = International Convention for the Prevention of Pollution From Ships,

Product Name: POWEROIL FLEXOIL P 25 Version No.: 01 Issue Date: 1st January 2024

A "No" indicates that one or more components of the product are not listed or exempt from listing on the inventory administered by the governing country(s).



APAR Industries Limited (Petroleum Specialities FZE)

Safety Data Sheet

In accordance with Regulation (EC) No. 1907/2006 (REACH), amended by

1973 as modified by the Protocol of 1978. ("Marpol" = marine pollution) UN = United Nations

Disclaimer:

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

Product Name : POWEROIL FLEXOIL P 25

Version No. : 01 Issue Date : 1st January 2024

SDS (EU 878/2020)

Page 6 of 6