

Tomorrow's solutions today	I907/2006 (REACH), amended by	
SECTION 1 IDENTIFICATION OF TH	E SUBSTANCE / MIXTURE AND OF THE COMPANY / UNDERTAKING	
1.1 Product Identifier		
Product name	POWEROIL PEARL H 350 ULTIMA	
	(Mineral oil-USP / Liquid Paraffin-EP/BP)	
Chemical Name	White mineral oil (petroleum)	
Other means of Identification	Not available	
CAS number	8042-47-5	
EC number	232-455-8	
REACH registration number	01-2119487078-27-0181	
1.2 Relevant identified uses of the substar	nces or mixture and uses advised against	
Product category Consumer	PC32 : Polymer preparations and compounds	
	PC39 : Cosmetics, personal care products	
Sectors of Uses	SU21 : Consumer uses :Private households	
	SU3 : Industrial uses : Uses of substances as such or in preparations at industrial sites	
Relevant identified uses	Highly refined mineral oils are typically used as a blending base in a variety of application	
	including	
Uses advised against	Cosmetic, pharmaceutical, food and general industries	
	Not applicable	
1.3 Details of the supplier of the safety da	ta sheet	
Registered company name	Petroleum Specialities FZE.	
Address	Hamriyah Free zone- Phase 1, Plot no. 1C-02D1, Sharjah, PO box: 42180. United Arab	
Telephone	Emirates.	
Website	+971 65096444 (Office hours 9.30am to 17.00pm)	
Email	www.apar.com	
	psf.hse@apar.com	
1.4 Emergency telephone number		
Association / Organization	Not Available	
Emergency telephone numbers	+971566893936	
Other emergency telephone numbers	Not Available	
SECTION 2 HAZARD IDENTIFICATIO		
2.1 Classification of the substance or mixt		
	ording to directive 1999/45/EC, Reg. (EC) No.1272/2008 (if applicable) and their	
amendments. Not classified as Dangerous		
Classification according to regulation		
2.2 Label elements		
CLP label elements	Net Applicable	
Signal word	Not Applicable	
Signal word Hazard statement(s)	No signal word No known significant effects or critical hazards.	
Pazaro statement(s) P301+P310	If SWALLOWED : Immediately call a POISON CENTER/doctor/physician/first aider.	
P301+P310 P331	Do NOT induce vomiting.	
P331 Precautionary statement(s) Storage	Do raot induce volning.	
<i>,</i> •	Stare looked up	
P405 Procestienen statement(s) Dispessi	Store locked up.	
Precautionary statement(s) Disposal	Dianana of contents (container to outbourized of an include dfill as if a marie to bit by the second second	
P501	Dispose of contents/container to authorized chemical landfill or if organic to high temperature	
	incineration.	

REACH - Art.57-59 : The mixture does not contain Substance of Very High Concern (SVHC) at the SDS print date.



SECTION 3 COMPOSITION / INFORMATION ON INGREDIENTS

3.1 Substances			
1. CAS No.	% (Weight)	Name	Classification according to
2. EC No.			regulation (EC)
3. Index No.			No.1272/2008(CLP)
4. REACH No.			
1. 8042-47-5	100	White Mineral Oil (petroleum)	Not classified
2. 232-455-8			
3. Not Available			
4. 01-2119487078-27-0181			

SECTION 4 FIRST AID MEASURES	
4.1 Description of first aid measures	
	If this product comes in contact with eyes :
Eye Contact	Wash out immediately with water
	If irritation continues, seek medical attention.
	> Removal of contact lenses after an eye injury should only be undertaken by skilled personnel.
	If skin or hair contact occurs:
Skin Contact	Flush skin and hair with running water (and soap if available).
	Seek medical attention in event of irritation.
	> If fumes, aerosol or combustion products are inhaled remove from contaminated area. Other
Inhalation	measures are usually unnecessary.
	Immediately give a glass of water.
Ingestion	> First aid is not generally required. If in doubt, contact a Poisons Information Centre or a
	doctor.

4.2 Most important symptoms and effects, both acute and delayed

See section 11

4.3 Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

SECTION 5 FIRE FIGHTING M	IEASURES
5.1 Extinguishing media	
Dry chemicals Powder.	
≻ Foam.	
BCF (Where regulations perm	nit).
 Carbon dioxide (CO2). 	
➤ Water spray or fog.	
5.2 Special hazards arising from t	he substrate or mixture
Fire incompatibility	> Avoid contamination with oxidizing agents i.e. nitrates, oxidizing acids, chlorine acids,
Fire incompatibility	
	> Avoid contamination with oxidizing agents i.e. nitrates, oxidizing acids, chlorine acids,
Fire incompatibility 5.3 Advice for firefighters Fire fighting	> Avoid contamination with oxidizing agents i.e. nitrates, oxidizing acids, chlorine acids,

SECTION 6 ACCIDENTAL RELEASE MEASURES

6.1 Personal precautions, protective equipment and emergency procedures



APAR Industries Limited (Petroleum Specialities FZE) Safety Data Sheet In accordance with Regulation (EC) No. 1907/2006 (REACH), amended by

See section 8

6.2 Environmental precautions

See section 12

	Remove all ignitions sources.
	Clean up all spills immediately.
Minor spills	Avoid breathing vapours and contact with skin and eyes.
	> Contain and absorb spill with sand, earth, inert material or vermiculite.
	≻Wipe up.
	> Place in a suitable, labelled container for waste disposal.

Personal protective Equipment advice is contained in Section 8 of this SDS.

1.1 Precautions for safe handling		
	Avoid all personal contact, including inhalation.	
	Wear protective clothing when risk of exposure occurs.	
	≻Use in a well-ventilated area.	
	Prevent concentration in hollows and sumps.	
	DO NOT enter confined spaces until atmosphere has been checked.	
	>Avoid smoking, naked lights or ignition sources.	
	> Avoid contact with incompatible materials. When handling, DO NOT eat, drink or smoke.	
Safe Handling	> Keep containers securely sealed when not in use. Avoid physical damage to containers.	
	Always wash hands with soap and water after handling.	
	Work clothes should be laundered separately.	
	>Use good occupational work practice.	
	> Observe manufacturer's storage and handling recommendations contained within this SDS.	
	Atmosphere should be regularly checked against established exposure standards to ensure	
	safe working conditions.	
Fire and explosion protection	See section 5	
.2 Conditions for safe storage, including	g any in compatibilities	
Suitable container	≻Metal can or drum	
	Packaging as recommended by manufacturer.	
	Check all containers are clearly labeled and free from leaks.	
Storage incompatibility	Avoid reaction with oxidizing agents.	
7.3 Specific end use(s)	Section 1.2	
ECTION 8 EXPOSURE CONTROLS	/ PERSONAL PROTECTION	
.1 Control parameters		
DERIVED NO EFFECT LEVEL (DNEL)	Not available	



OCCUPATIONAL EXPOSURE LIMITS (OEL)

Not available

Ingredient name	Exposure limits	
White mineral oil (petroleum)	ACGIH TLV (United States, 6/2013).	
	TWA: 5 mg/m ³ 8 hours. Form: Inhalable fraction	
	OSHA PEL (United States, 2/2013).	
	TWA: 5 mg/m ³ 8 hours.	
8.2 Exposure controls		

8.2.1 Appropriate engineering controls

8.2.2 Personal protection



Eye and face protection	Safety glasses with side shields	
	≻Chemical goggles.	
Skin protection	See Hand protection below	
Hands/feet protection	Wear general protective gloves, e.g. light weight rubber gloves.	
Body protection	See Other protection below	
Other protection	No special equipment needed when handling small quantities.	
	OTHERWISE:	
	Overalls.	
	Barrier cream.	
	Eyewash unit.	
Thermal hazards	Not Available	

Respiratory protection

Type A-P Filter of sufficient capacity. (AS/NZS 1716 & 1715, EN 143:2000 & 149:2001, ANSI Z88 or national equivalent)

8.2.3. Environmental exposure controls See section 12



SECTION 9 PHYSICAL AND CHE	MICAL PROPERTIES
9.1 Information on basic physical and	chemical properties
Appearance	
Physical state	Liquid
Color	Colorless
Form	Liquid
Odor	Odorless
Odour threshold	Not applicable
рН	Not applicable
Melting point/Pour point	< -9°C (ASTM D-97)
Flash point	Closed cup: > 220°C
Evaporation rate	<1 (n-butyl acetate = 1)
Flammability (solid, gas)	Not applicable
Flammability limits in air,	No Data
lower, % by volume	
Flammability limits in air,	No Data
upper, % by volume	
Vapour pressure	<0.013 kPa (<0.1 mm Hg) [room temperature]
Vapour density	>1 [Air = 1]
Density	0.855 to 0.970 at 20°C
Solubility(ies)	
Solubility (water)	Insoluble
Partition coefficient	
(n-octanol/water)	>6
Decomposition temperature	No Data
Auto-ignition temperature	> 330°C
Viscosity, Kinematic at 40°C	0.67 cm ² /s to 0.74 cm ² /s (67.00 to 74.00 cSt)
(104°F)	No Data
Explosive properties	No Data
Oxidising properties	Nil
DMSO extractible compound	
according to IP-346	
9.2 Other Information	Not Available

SECTION 10 STABILITY AND REAC	ΤΙΥΙΤΥ	
10.1 Reactivity	Stable.	
10.2 Chemical stability	Under normal conditions of storage and use, hazardous reactions will not occur.	
10.3 Possibility of hazardous	Avoid temperatures exceeding the flash point.	
Reactions	No specific data.	
10.4 Conditions to avoid	No specific data.	
10.5 Incompatible materials	Under normal conditions of storage and use, hazardous decomposition products should	
10.6 Hazardous decomposition	not be produced.	
products		
SECTION 11 TOXICOLOGICAL INF	ORMATION	
11.1 Information on hazard classes a	as defined in Regulation (EC) No 1272/2008	
Classification according to GH	S (1272/2008/EC, CLP)	
Routes of exposure	Inhalation. Ingestion.	
Acute toxicity	Not classified.	
Skin corrosion/irritation	Not classified. May be irritating to the skin.	
Serious eye damage/eye irritation	Not classified. May cause minor irritation on eye contact.	
Respiratory sensitiser	Not classified.	
Skin sensitisation	Not classified.	

APAR	APAR Industries Limited (Petroleum Specialities FZE)	Safety Data Sheet In accordance with Regulation (EC) No. 1907/2006 (REACH), amended by
Tomorrow's solutions today		
Mutagenicity	No data available to indicate product or any components present at greater than 0.1% are mutagenic or genotoxic.	
Carcinogenicity	No known significant effects or critical hazar	d
Reproductive toxicity	Contains no ingredient listed as toxic to reproduction.	
Specific target organ toxicity - single exposure	Not classified.	
Specific target organ toxicity - repeated exposure	Not classified.	
Epidemiology	No epidemiological data is available for this product.	
11.2 Endocrine disrupting	Not listed.	
properties	There is no additional information.	
11.3 Information on other haza	ards	

12.1 Toxicity

12.2 Persistence and degradability

Ingredient	Persistence : Water/Soil	Persistence : Air
	No data available for all ingredients	No data available for all ingredients

12.3 Bioaccumulative potential

Ingredient	Bioaccumulation
	No data available for all ingredients

12.4 Mobility in soil

Ingredient	Mobility
	No data available for all ingredients

12.5 Results of PBT and vPvB assessment

	Ρ	В	т
Relevant available data	Not available	Not available	Not available
PBT Criteria fulfilled?	Not available	Not available	Not available

12.6 Endocrine disrupting	Not listed
properties	No data available
12.7 Other adverse effects	
SECTION 13 DISPOSAL CONSIDER	ATIONS

13.1 Waste treatment methods

Product / Packaging disposal

Legislation addressing waste disposal requirements may differ by country, state and/ or territory. Each user must refer to laws operating in their area. In some areas, certain wastes must be tracked.

A Hierarchy of Controls seems to be common - the user should investigate:

- Reduction
- Reuse
- Recycling
 - Disposal (if all else fails)

	This material may be recycled if unused, or if it has not been contaminated so as to make it
	unsuitable for its intended use. If it has been contaminated, it may be possible to reclaim the
	product by filtration, distillation or some other means. Shelf life considerations should also be
	applied in making decisions of this type. Note that properties of a material may change in use,
	and recycling or reuse may not always be appropriate.
Waste treatment options	Not available



Sewage disposal options

Not available

SECTION 14 TRANSPORT INFORMATION

Labels Required

Marine Pollutant Land transport (Not Available) Air transport (ICAO-IATA/DGR) See transport (IMDG-Code/GGVSee) Inland waterways transport (ADN) Transport in bulk according to Annex II of MARPOL 73/78and the IBC Code

NO

NOT REGULATED FOR TRANSPORT OF DANGEROUS GOODS Not applicable

15.1. Safety, health and environmental regulations / legislation specific for the substance or mixture

WHITE MINERAL OIL (PETROLEUM) (8042-47-5) IS FOUND ON THE FOLLOWING REGULATORY LISTS

EU REACH Regulation (EC) No 1907/2006 - Annex XVII - Restrictions on the manufacture, placing on the market and use of certain dangerous substances, mixtures and articles

European Customs Inventory of Chemical Substances ECICS (English)

European Union - European Inventory of Existing Commercial Chemical Substances (EINECS) (English)

International Agency for Research on Cancer (IARC) - Agents Classified by the IARC Monographs Netherlands Occupational Exposure Limits (Dutch)

On inventory
(yes/no)*
S) Yes
Yes
No
na (IECSC) Yes
iical Substances (EINECS) Yes
LINCS) Yes
es (ENCS) No
Yes
Yes
Substances (PICCS) Yes
Yes

*A "Yes" indicates that all components of this product comply with the inventory requirements administered by the governing country(s) A "No" indicates that one or more components of the product are not listed or exempt from listing on the inventory administered by the governing country(s).

Disclaimer	The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.
Abbreviations IMDG – CODE	International maritime dangerous goods code.



ICAO IATA International Civil Aviation Organization International air transport association