

lomorrow's solutions today		
	E SUBSTANCE / MIXTURE AND OF THE COMPANY / UNDERTAKING	
1.1 Product Identifier		
Product name	POWEROIL PEARL L 70	
	(Light Mineral Oil-USP)	
Chemical Name	White mineral oil (petroleum)	
Other means of Identification	Not available	
CAS number	8042-47-5	
EC number	232-455-8	
REACH registration number	01-2119487078-27-0181	
1.2 Relevant identified uses of the substa	nces or mixture and uses advised against	
Product category Consumer	PC28 : Perfumes, fragrances	
	PC39 : Cosmetics, personal care products	
Sectors of Uses	SU21 : Consumer uses :Private households	
	SU3 : Industrial uses : Uses of substances as such or in preparations at industrial sites	
Relevant identified uses	Highly refined mineral oils are typically used as a blending base in a variety of application	
	including Cosmetic, pharmaceutical, food and general industries.	
Uses advised against	Not applicable	
1.3 Details of the manufacture of the safe		
Registered company name	Petroleum Specialities FZE.	
Address	Hamriyah Free zone- Phase 1, Plot no. 1C-02D1, Sharjah, PO box: 42180. United Arab	
Telephone	Emirates.	
Website	+971 65096444 (Office hours 9.30am to 17.00pm)	
Email	www.apar.com	
	psf.hse@apar.com	
1.4 Emergency telephone number		
Association / Organization	Not Available	
Emergency telephone numbers	+971566893936	
Other emergency telephone numbers	Not Available	
SECTION 2 HAZARD IDENTIFICATIO	N	
2.1 Classification of the substance or mix	ture	
Considered a dangerous mixture accordi	ng to directive 1999/45/EC, Reg. (EC) No.1272/2008 (if applicable) and their amendments.	
Not classified as Dangerous Goods for tr	ansport purposes.	
Classification according to regulation		
	1.Classified by Chemwatch	
Leger		
	3. Classification drawn from EC Directive 1272/2008 - Annex VI	
2.2 Label elements	·	
CLP label elements		
	\mathbf{v}	
Signal word	DANGER	
Hazard statement(s)	May be fatal if swallowed and enters airways	
H304	If SWALLOWED : Immediately call a POISON CENTER/doctor/physician/first aider.	
P301+P310	Do NOT induce vomiting.	
P331	·····	
Precautionary statement(s) Storage	Store locked up.	
Precautionary statement(s) storage P405		
Precautionary statement(s) Disposal	Dispose of contents/container to authorized chemical landfill or if organic to high temperature	
Precautionary statement(s) Disposal P501	incineration.	
2.3 Other hazards		



REACH – Art.57-59 : The mixture does not contain Substance of Very High Concern (SVHC) at the SDS print date.

SECTION 3 COMPOSITION / INFOR	RMATION ON INC	GREDIENTS	
3.1 Substance			
CAS No. : 8042-47-5	% (Weight)	Name	Classification according to
EC No. : 232-455-8			regulation (EC)
REACH No.: 01-2119487078-27-0181			No.1272/2008(CLP)
	100	White Mineral Oil (petroleum)	Aspiration Hazard Category 1 : H304
			[1]

SECTION 4 FIRST AID MEASURES	
4.1 Description of first aid measures	

	If this product comes in contact with eyes :
Eye Contact	Wash out immediately with water
	If irritation continues, seek medical attention.
	➢ Removal of contact lenses after an eye injury should only be undertaken by skilled personnel.
	If skin or hair contact occurs:
Skin Contact	Flush skin and hair with running water (and soap if available).
	Seek medical attention in event of irritation.
	\succ If fumes, aerosol or combustion products are inhaled remove from contaminated area. Other
Inhalation	measures are usually unnecessary.
	Immediately give a glass of water.
Ingestion	First aid is not generally required. If in doubt, contact a Poisons Information Centre or a doctor.

4.2 Most important symptoms and effects, both acute and delayed

See section 11

4.3 Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

SECTION 5 FIRE FIGHTING MEASURES

5.1 Extinguishing media

- ≻ Dry chemicals Powder.
- ≻ Foam.
- ➢ BCF (where regulations permit).
- > Carbon dioxide (CO2).
- ≻ Water spray or fog Large fires only.

5.2 Special hazards arising from the substrate or mixture

Avoid contamination with oxidizing agents i.e. nitrates, oxidizing acids, chlorine acids, chlorine bleaches, pool chlorine etc. as ignition may results.

5.3 Advice for firefighters

Fire incompatibility

Fire fighting

➤ Alert Fire Brigade and tell them location and nature of hazard.

> Wear full body protective clothing with breathing apparatus.

SECTION 6 ACCIDENTAL RELEASE MEASURES

6.1 Personal precautions, protective equipment and emergency procedures



See section 8

6.2 Environmental precautions

See section 12

6.3 Methods and material for containment and cleaning up

≻ Remove all ignitions sources.

Minor spills > Clean up all spills immediately.

> Avoid breathing vapours and contact with skin and eyes.

- > Control personal contact with the substance, by using protective equipment.
- > Contain and absorb spill with sand, earth, inert material or vermiculite.
- ≻Wipe up.
- > Place in a suitable, labelled container for waste disposal.

6.4 Reference to other sections

Personal protective Equipment advice is contained in Section 8 of this SDS.

SECTION 7 HANDLING AND STORA	AGE
7.1 Precautions for safe handling	
	Avoid all personal contact, including inhalation.
	Wear protective clothing when risk of exposure occurs.
	≻ Use in a well-ventilated area.
	Prevent concentration in hollows and sumps.
	DO NOT enter confined spaces until atmosphere has been checked.
	Avoid smoking, naked lights or ignition sources.
	≻ Avoid contact with incompatible materials. When handling, DO NOT eat, drink or smoke.
Safe Handling	\succ Keep containers securely sealed when not in use. Avoid physical damage to containers.
	Always wash hands with soap and water after handling.
	Work clothes should be laundered separately.
	➤ Use good occupational work practice.
	> Observe manufacturer's storage and handling recommendations contained within this SDS.
	Atmosphere should be regularly checked against established exposure standards to ensure
	safe working conditions.
Fire and explosion protection	See section 5
7.2 Conditions for safe storage, including	g any in compatibilities
Suitable container	≻ Metal can or drum
	Packaging as recommended by manufacturer.
	Check all containers are clearly labeled and free from leaks.
Storage incompatibility	Avoid reaction with oxidizing agents.
7.3 Specific end use(s)	Section 1.2

SECTION 8 EXPOSURE CONTROLS / PERSONAL PROTECTION

8.1 Control parameters

DERIVED NO EFFECT LEVEL (DNEL) Not available PREDICTED NO EFFECT LEVEL (PNEL) Not available OCCUPATIONAL EXPOSURE LIMITS (OEL)

Ingredient name Exposure limits



8.2.2 Personal protection		
8.2.1 Appropriate engineering controls		
8.2 Exposure controls		
	TWA: 5 mg/m ³ 8 hours.	
	OSHA PEL (United States, 2/2013).	
	TWA: 5 mg/m ³ 8 hours. Form: Inhalable fraction	
White mineral oil (petroleum)	ACGIH TLV (United States, 6/2013).	

Eye and face protection	Safety glasses with side shields	
	➤ Chemical goggles.	
Skin protection	See Hand protection below	
Hands/feet protection	Wear general protective gloves, e.g. light weight rubber gloves.	
Body protection	See Other protection below	
Other protection	No special equipment needed when handling small quantities.	
	OTHERWISE:	
	Overalls.	
	Barrier cream.	
	Eyewash unit.	
Thermal hazards	Not Available	

Respiratory protection

Type A-P Filter of sufficient capacity. (AS/NZS 1716 & 1715, EN 143:2000 & 149:2001, ANSI Z88 or national equivalent)

8.2.3. Environmental exposure controls

See section 12

9.1 Information on basic physical and chemical properties



Appearance	
Physical state	Liquid
Color	Colourless
Form	Liquid
Odor	Odorless
Odour threshold	Not applicable
рН	Not applicable
Melting point/Pour point	< -15°C (ASTM D-97)
Flash point	Closed cup: > 150°C
Evaporation rate	<1 (n-butyl acetate = 1)
Flammability (solid, gas)	Not applicable
Flammability limits in air,	No Data
lower, % by volume	
Flammability limits in air,	No Data
upper, % by volume	
Vapour pressure	<0.013 kPa (<0.1 mm Hg) [room temperature]
Vapour density	>1 [Air = 1]
Density	0.810 to 0.880 at 25°C
Solubility(ies)	
Solubility (water)	Insoluble
Partition coefficient	
(n-octanol/water)	Not available
Decomposition temperature	No Data
Auto-ignition temperature	> 250°C
Viscosity, Kinematic at 40°C (104°F)	0.11 cm ² /s to 0.13 cm ² /s (11.00 to 13.00 cSt)
Explosive properties	No Data
Oxidising properties	No Data
DMSO extractible compound	Nil
according to IP-346	
9.2 Other Information	Not Available

SECTION 10 STABILITY AND REACTIVITY	
10.1 Reactivity	Stable.
10.2 Chemical stability	Under normal conditions of storage and use, hazardous reactions will not occur.
10.3 Possibility of hazardous	Avoid temperatures exceeding the flash point.
Reactions	No specific data.
10.4 Conditions to avoid	No specific data.
10.5 Incompatible materials	Under normal conditions of storage and use, hazardous decomposition products should
10.6 Hazardous decomposition	not be produced.
products	

SECTION 11 TOXICOLOGICAL INFO	DRMATION
11.1 Information on hazard classes a	s defined in Regulation (EC) No 1272/2008
Classification according to GHS (127	2/2008/EC, CLP)
Routes of exposure	Inhalation. Ingestion.
Acute toxicity	Not classified.
Skin corrosion/irritation	Not classified. May be irritating to the skin.
Serious eye damage/eye irritation	Not classified. May cause minor irritation on eye contact.
Respiratory sensitiser	Not classified.
Skin sensitisation	Not classified.
Mutagenicity	No data available to indicate product or any components present at greater than 0.1% are



APAR Industries Limited (Petroleum Specialities FZE)

	mutagenic or genotoxic.
Carcinogenicity	No known significant effects or critical hazard
Reproductive toxicity	Contains no ingredient listed as toxic to reproduction.
Specific target organ toxicity	Not classified.
 single exposure 	
Specific target organ toxicity	Not classified.
 repeated exposure 	
Epidemiology	No epidemiological data is available for this product.
11.2 Endocrine disrupting	Not listed
properties	There is no additional information
11.3 Information on other hazards	
SECTION 12 ECOLOGICAL INFO	RMATION

12.1 Toxicity

12.2 Persistence and degradability

Ingredient	Persistence : Water/Soil	Persistence : Air
	No data available for all ingredients	No data available for all ingredients

12.3 Bio-accumulative potential

Ingredient	Bioaccumulation
	No data available for all ingredients

12.4 Mobility in soil

Ingredient	Mobility
	No data available for all ingredients

12.5 Results of PBT and vPvB assessment Ρ В Т Relevant available data Not available Not available Not available PBT Criteria fulfilled? Not available Not available Not available 12.6 Endocrine disrupting Not listed No data available properties 12.7 Other adverse effects **SECTION 13 DISPOSAL CONSIDERATIONS** 13.1 Waste treatment methods Legislation addressing waste disposal requirements may differ by country, state and/ or territory. Each user must refer to laws operating in their area. In some areas, certain wastes must be tracked. A Hierarchy of Controls seems to be common - the user should investigate: Reduction \triangleright Reuse \geq Product / Packaging disposal \triangleright Recycling \triangleright Disposal (if all else fails) This material may be recycled if unused, or if it has not been contaminated so as to make it unsuitable for its intended use. If it has been contaminated, it may be possible to reclaim the product by filtration, distillation or some other means. Shelf life considerations should also be applied in making decisions of this type. Note that properties of a material may change in use, and recycling or reuse may not always be appropriate. Waste treatment options Not available Sewage disposal options Not available



SECTION 14 TRANSPORT INFORMATION

Labels Required

Marine Pollutant	NO
Land transport (Not Available)	NOT REGULATED FOR TRANSPORT OF DANGEROUS GOODS
Air transport (ICAO-IATA/DGR)	NOT REGULATED FOR TRANSPORT OF DANGEROUS GOODS
See transport (IMDG-	NOT REGULATED FOR TRANSPORT OF DANGEROUS GOODS
Code/GGVSee)	NOT REGULATED FOR TRANSPORT OF DANGEROUS GOODS
Inland waterways transport (ADN)	Not applicable
Transport in bulk according to	
Annex II of MARPOL 73/78and the	
IBC Code	

SECTION 15 REGULATORY INFORMATION

15.1. Safety, health and environmental regulations / legislation specific for the substance or mixture

WHITE MINERAL OIL (PETROLEUM)(8042-47-5) IS FOUND ON THE FOLLOWING REGULATORY LISTS

EU REACH Regulation (EC) No 1907/2006 - Annex XVII - Restrictions on the manufacture, placing on the market and use of certain dangerous substances, mixtures and articles

European Customs Inventory of Chemical Substances ECICS (English)

European Union - European Inventory of Existing Commercial Chemical Substances (EINECS) (English)

International Agency for Research on Cancer (IARC) - Agents Classified by the IARC Monographs

Netherlands Occupational Exposure Limits (Dutch)

15.2. Chemical safety assessment

Inventory status		On inventory
Country(s) or region On	Inventory name	(yes/no)*
Australia	Australian Inventory of Chemical Substances (AICS)	Yes
anada	Domestic Substances List (DSL)	Yes
Canada	Non-Domestic Substances List (NDSL)	No
China	Inventory of Existing Chemical Substances in China (IECSC)	Yes
urope	European Inventory of Existing Commercial Chemical Substances	Yes
urope	(EINECS)	Yes
ipan	European List of Notified Chemical Substances (ELINCS)	No
orea	Inventory of Existing and New Chemical Substances (ENCS)	Yes
lew Zealand	Existing Chemicals List (ECL)	Yes
Philippines	New Zealand Inventory	Yes
nited States & Puerto Rico	Philippine Inventory of Chemicals and Chemical Substances (PICCS)	Yes
	Toxic Substances Control Act (TSCA) Inventory	

*A "Yes" indicates that all components of this product comply with the inventory requirements administered by the governing country(s) A "No" indicates that one or more components of the product are not listed or exempt from listing on the inventory administered by the governing country(s).

16 - Other Information	
Disclaimer	The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.
Abbreviations	
IMDG – CODE	International maritime dangerous goods code.
ICAO	International Civil Aviation Organization
IATA	International air transport association

