

SECTION 1 IDENTIFICATION OF TH	E SUBSTANCE / MIXTURE AND OF THE COMPANY / UNDERTAKING			
1.1 Product Identifier				
Product name	POWEROIL TOPAZ L 60			
Chemical Name	White mineral oil (petroleum)			
Other means of Identification	Not available			
CAS number	8042-47-5			
EC number	232-455-8			
REACH registration number	01-2119487078-27-0181			
	nces or mixture and uses advised against			
Product category Consumer	PC28 : Perfumes, fragrances			
0,	PC39 : Cosmetics, personal care products			
Sectors of Uses	SU21 : Consumer uses :Private households			
	SU3 : Industrial uses : Uses of substances as such or in preparations at industrial sites			
Relevant identified uses	Highly refined mineral oils are typically used as a blending base in a variety of application			
	including			
Uses advised against	Cosmetic, pharmaceutical, food and general industries.			
aatiooa agamoi	Not applicable			
1.3 Details of the manufacture of the safe				
Registered company name	Petroleum Specialities FZE.			
Address	Hamriyah Free zone- Phase 1, Plot no. 1C-02D1, Sharjah, PO box: 42180. United Arab Emirates.			
Telephone	+971 65096444 (Office hours 9.30am to 17.00pm)			
Website	www.apar.com			
Email	psf.hse@apar.com			
1.4 Emergency telephone number				
Association / Organization	Not Available			
Emergency telephone numbers	+971566893936			
Other emergency telephone numbers				
SECTION 2 HAZARD IDENTIFICATION				
2.1 Classification of the substance or mix	ture			
	ing to directive 1999/45/EC, Reg. (EC) No.1272/2008 (if applicable) and their amendments. Not			
classified as Dangerous Goods for transp				
Classification according to regulation				
	1.Classified by Chemwatch			
Leae	nd: 2. Classification drawn from EC Directive 67/548/EEC - Annex I			
	3. Classification drawn from EC Directive 1272/2008 - Annex VI			
2.2 Label elements	,			
CLP label elements				
Signal word	DANGER			
Hazard statement(s)	May be fatal if swallowed and enters airways			
H304	If SWALLOWED : Immediately call a POISON CENTER/doctor/physician/first aider.			
P301+P310	Do NOT induce vomiting.			
P301+P310 P331	Server made tomming.			
	Store locked up.			
Precautionary statement(s) Storage	olore locked up.			
P405	Dispose of contents/container to authorized chemical landfill or if organic to high temperature			
Precautionary statement(s) Disposal				
DEA1	Incineration			
P501 2.3 Other hazards	incineration.			



REACH – Art.57-59 : The mixture does not contain Substance of Very High Concern (SVHC) at the SDS print date.

SECTION 3 COMPOSITION / INFO	RMATION ON INGRI	DIENTS	
3.1 Substance			
CAS No. : 8042-47-5 EC No. : 232-455-8 REACH No.: 01-2119487078-27-0181	% (Weight)	Name	Classification according to regulation (EC) No.1272/2008(CLP)
	100	White Mineral Oil (petroleum)	Aspiration Hazard Category 1 : H304 [1]
SECTION 4 FIRST AID MEASURES			
4.1 Description of first aid measures			
Eye Contact	 Wash out immedia If irritation continue 	es, seek medical attention.	ly be undertaken by skilled personnel.
Skin Contact	 Removal of contact lenses after an eye injury should only be undertaken by skilled personnel. If skin or hair contact occurs: Flush skin and hair with running water (and soap if available). 		

۶	F	lush	skin	and	hair	with	running	water	(and	soap	Iţ	avai	la

> Seek medical attention in event of irritation.

- > If fumes, aerosol or combustion products are inhaled remove from contaminated area. Other measures are usually unnecessary.
 - > Immediately give a glass of water.
 - > First aid is not generally required. If in doubt, contact a Poisons Information Centre or a doctor.

4.2 Most important symptoms and effects, both acute and delayed

See section 11

4.3 Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

Inhalation

Ingestion

SECTION 5 FIRE FIGHTING MEASURES

5.1 Extinguishing media

- > Dry chemicals Powder.
- ➤ Foam.
- > BCF (where regulations permit).
- > Carbon dioxide (CO2).
- ≻ Water spray or fog Large fires only.

5.2 Special hazards arising from the substrate or mixture	

Fire incompatibility

> Avoid contamination with oxidizing agents i.e. nitrates, oxidizing acids, chlorine acids, chlorine bleaches, pool chlorine etc. as ignition may results.

5.3 Advice for firefighters

Fire fighting

> Alert Fire Brigade and tell them location and nature of hazard.

> Wear full body protective clothing with breathing apparatus.

SECTION 6 ACCIDENTAL RELEASE MEASURES 6.1 Personal precautions, protective equipment and emergency procedures See section 8

Product Name : POWEROIL TOPAZ L 60 Version No. : 01 Issue Date : 1st January 2024



6.2 Environmental precautions

See section 12

6.3 Methods and material for containment and cleaning up

> Remove all ignitions sources.

Minor spills

> Clean up all spills immediately.

- > Avoid breathing vapours and contact with skin and eyes.
- > Control personal contact with the substance, by using protective equipment.
- > Contain and absorb spill with sand, earth, inert material or vermiculite.
- ≻Wipe up.
- > Place in a suitable, labelled container for waste disposal.

6.4 Reference to other sections

Personal protective Equipment advice is contained in Section 8 of this SDS.

SECTION 7 HANDLING AND STORA	AGE
7.1 Precautions for safe handling	
	> Avoid all personal contact, including inhalation.
	> Wear protective clothing when risk of exposure occurs.
	≻Use in a well-ventilated area.
	Prevent concentration in hollows and sumps.
	DO NOT enter confined spaces until atmosphere has been checked.
	> Avoid smoking, naked lights or ignition sources.
Safe Handling	> Avoid contact with incompatible materials. When handling, DO NOT eat, drink or smoke.
6	> Keep containers securely sealed when not in use. Avoid physical damage to containers.
	Always wash hands with soap and water after handling.
	Work clothes should be laundered separately.
	Use good occupational work practice.
	> Observe manufacturer's storage and handling recommendations contained within this SDS.
	Atmosphere should be regularly checked against established exposure standards to ensure saf
	working conditions.
Fire and explosion protection	See section 5
7.2 Conditions for safe storage, including	g any in compatibilities
Suitable container	≻ Metal can or drum
	Packaging as recommended by manufacturer.
	Check all containers are clearly labeled and free from leaks.
Storage incompatibility	Avoid reaction with oxidizing agents.

7.3 Specific end use(s)

Section 1.2

SECTION 8 EXPOSURE CONTROLS / PERSONAL PROTECTION

8.1 Control parameters



DERIVED NO EFFECT LEVEL (DNEL) Not available PREDICTED NO EFFECT LEVEL (PNEL) Not available OCCUPATIONAL EXPOSURE LIMITS (OEL)

Ingredient name	Exposure limits	
White mineral oil (petroleum)	ACGIH TLV (United States, 6/2013).	
	TWA: 5 mg/m ³ 8 hours. Form: Inhalable fraction	
	OSHA PEL (United States, 2/2013).	
	TWA: 5 mg/m ³ 8 hours.	

8.2 Exposure controls

8.2.1 Appropriate engineering controls

8.2.2 Personal protection

Eye and face protection	Safety glasses with side shields	
	➤ Chemical goggles.	
Skin protection	See Hand protection below	
Hands/feet protection	Wear general protective gloves, e.g. light weight rubber gloves.	
Body protection	See Other protection below	
Other protection	No special equipment needed when handling small quantities.	
	OTHERWISE:	
	Overalls.	
	Barrier cream.	
	Eyewash unit.	
Thermal hazards	Not Available	

Respiratory protection

Type A-P Filter of sufficient capacity. (AS/NZS 1716 & 1715, EN 143:2000 & 149:2001, ANSI Z88 or national equivalent)

8.2.3. Environmental exposure controls See section 12

SECTION 9	PHYSICAL AND CHEMICAL PR	OPERTIES
9.1 Informatio	n on basic physical and chemical p	properties



Appearance	
Physical state	Liquid
Color	Colorless
Form	Liquid
Odor	Odorless
Odour threshold	Not applicable
рН	Not applicable
Melting point/Pour point	< -15°C (ASTM D-97)
Flash point	Closed cup: > 150°C
Evaporation rate	<1 (n-butyl acetate = 1)
Flammability (solid, gas)	Not applicable
Flammability limits in air,	No Data
lower, % by volume	
Flammability limits in air,	No Data
upper, % by volume	
Vapour pressure	<0.013 kPa (<0.1 mm Hg) [room temperature]
Vapour density	>1 [Air = 1]
Density	0.810 to 0.860 at 25°C
Solubility(ies)	
Solubility (water)	Insoluble
Partition coefficient	
(n-octanol/water)	Not available
Decomposition temperature	No Data
Auto-ignition temperature	> 220°C
Viscosity, Kinematic at 40°C	
(104°F)	0.09 cm ² /s to 0.11 cm ² /s (9.00 to 11.00 cSt)
Explosive properties	No Data
Oxidising properties	No Data
DMSO extractible compound	Nil
according to IP-346	
9.2 Other Information	Not Available

10.1 Reactivity	Stable.
10.2 Chemical stability	Under normal conditions of storage and use, hazardous reactions will not occur.
10.3 Possibility of hazardous	Avoid temperatures exceeding the flash point.
Reactions	No specific data.
10.4 Conditions to avoid	No specific data.
10.5 Incompatible materials	Under normal conditions of storage and use, hazardous decomposition products should
10.6 Hazardous decomposition	not be produced.
products	

11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008 Classification according to GHS (1272/2008/EC, CLP)



APAR Industries Limited (Petroleum Specialities FZE)

Safety Data Sheet In accordance with Regulation (EC) No. 1907/2006 (REACH), amended by

Routes of exposure	Inhalation. Ingestion.
Acute toxicity	Not classified.
Skin corrosion/irritation	Not classified. May be irritating to the skin.
Serious eye damage/eye irritation	Not classified. May cause minor irritation on eye contact.
Respiratory sensitiser	Not classified.
Skin sensitisation	Not classified.
Mutagenicity	No data available to indicate product or any components present at greater than 0.1% are mutagenic or genotoxic.
Carcinogenicity	No known significant effects or critical hazard
Reproductive toxicity	Contains no ingredient listed as toxic to reproduction.
Specific target organ toxicity - single exposure	Not classified.
Specific target organ toxicity - repeated exposure	Not classified.
Epidemiology	No epidemiological data is available for this product.
11.2 Endocrine disrupting properties 11.3 Information on other hazards	Not listed There is no additional information.

SECTION 12 ECOLOGICAL INFORMATION

12.1 Toxicity

12.2 Persistence and degradability

Ingredient	Persistence : Water/Soil	Persistence : Air	
	No data available for all ingredients	No data available for all ingredients	

12.3 Bioaccumulative potential

Ingredient	Bioaccumulation
	No data available for all ingredients

12.4 Mobility in soil

Ingredient	Mobility
	No data available for all ingredients

12.5 Results of PBT and vPvB assessment

	Р	В	Т
Relevant available data	Not available	Not available	Not available
PBT Criteria fulfilled?	Not available	Not available	Not available

12.6 Endocrine disrupting	Not listed	
properties No data availa		
12.7 Other adverse effects		
SECTION 13 DISPOSAL CONSIDER	ATIONS	
13.1 Waste treatment methods		



Legislation addressing waste disposal requirements may differ by country, state and/ or territory. Each user must refer to laws operating in their area. In some areas, certain wastes must be tracked. A Hierarchy of Controls seems to be common - the user should investigate:

Waste treatment options	Not available
	and recycling or reuse may not always be appropriate.
	applied in making decisions of this type. Note that properties of a material may change in use,
	product by filtration, distillation or some other means. Shelf life considerations should also be
	unsuitable for its intended use. If it has been contaminated, it may be possible to reclaim the
	This material may be recycled if unused, or if it has not been contaminated so as to make it
	Disposal (if all else fails)
Product / Packaging disposal	Recycling
	Reuse
	Reduction

SECTION 14 TRANSPORT INFORMATION

Sewage disposal options

Labels Required	
Marine Pollutant	NO
Land transport (Not Available)	NOT REGULATED FOR TRANSPORT OF DANGEROUS GOODS
Air transport (ICAO-IATA/DGR)	NOT REGULATED FOR TRANSPORT OF DANGEROUS GOODS
See transport (IMDG-	NOT REGULATED FOR TRANSPORT OF DANGEROUS GOODS
Code/GGVSee)	NOT REGULATED FOR TRANSPORT OF DANGEROUS GOODS
Inland waterways transport (ADN)	Not applicable
Transport in bulk according to	
Annex II of MARPOL 73/78and the	
IBC Code	

SECTION 15 REGULATORY INFORMATION

15.1. Safety, health and environmental regulations / legislation specific for the substance or mixture

Not available

WHITE MINERAL OIL (PETROLEUM) (8042-47-5) IS FOUND ON THE FOLLOWING REGULATORY LISTS

EU REACH Regulation (EC) No 1907/2006 - Annex XVII - Restrictions on the manufacture, placing on the market and use of certain dangerous substances, mixtures and articles

European Customs Inventory of Chemical Substances ECICS (English)

European Union - European Inventory of Existing Commercial Chemical Substances (EINECS) (English)

International Agency for Research on Cancer (IARC) - Agents Classified by the IARC Monographs

Netherlands Occupational Exposure Limits (Dutch)

15.2. Chemical safety assessment			
Inventory status		On inventory	
Country(s) or region On	Inventory name	(yes/no)*	
Australia	Australian Inventory of Chemical Substances (AICS)		Yes
Canada	Domestic Substances List (DSL)		Yes
Canada	Non-Domestic Substances List (NDSL)		No
China	Inventory of Existing Chemical Substances in China (IECSC)		Yes
Europe	European Inventory of Existing Commercial Chemical Substances		Yes
Europe	(EINECS)		Yes
Japan	European List of Notified Chemical Substances (ELINCS)		No
Korea	Inventory of Existing and New Chemical Substances (ENCS)		Yes
New Zealand	Existing Chemicals List (ECL)		Yes
Philippines	New Zealand Inventory		Yes



United States & Puerto Rico

APAR Industries Limited (Petroleum Specialities FZE)

Safety Data Sheet In accordance with Regulation (EC) No. 1907/2006 (REACH), amended by

Philippine Inventory of Chemicals and Chemical Substances (PICCS) Toxic Substances Control Act (TSCA) Inventory Yes

*A "Yes" indicates that all components of this product comply with the inventory requirements administered by the governing country(s) A "No" indicates that one or more components of the product are not listed or exempt from listing on the inventory administered by the governing country(s).

16 - Other Information	
Disclaimer	The information provided in this Safety Data Sheet is correct to the best of our knowledge,
	information and belief at the date of its publication. The information given is designed only as a
	guidance for safe handling, use, processing, storage, transportation, disposal and release and is not
	to be considered a warranty or quality specification. The information relates only to the specific
	material designated and may not be valid for such material used in combination with any other
	materials or in any process, unless specified in the text.
Abbreviations	
IMDG – CODE	International maritime dangerous goods code.
ICAO	International Civil Aviation Organization
IATA	International air transport association