

Safety Data Sheet In accordance with Regulation (EC) No. 1907/2006 (REACH), amended by

SECTION 1 IDENTIFICATION OF THE SUBSTANCE / MIXTURE AND OF THE COMPANY / UNDERTAKING

1.1 Product Identifier

POWEROIL TOPAZ L 85 Product name **Chemical Name** White mineral oil (petroleum)

Other means of Identification Not available **CAS** number 8042-47-5 EC number 232-455-8

REACH registration number 01-2119487078-27-0181

1.2 Relevant identified uses of the substances or mixture and uses advised against

Product category Consumer PC28: Perfumes, fragrances

PC39: Cosmetics, personal care products **Sectors of Uses** SU21: Consumer uses: Private households

SU3 : Industrial uses : Uses of substances as such or in preparations at industrial sites

Relevant identified uses Highly refined mineral oils are typically used as a blending base in a variety of application

including

Uses advised against Cosmetic, pharmaceutical, food and general industries.

Not applicable

1.3 Details of the manufacture of the safety data sheet

Registered company name Petroleum Specialities FZE.

Address Hamriyah Free zone- Phase 1, Plot no. 1C-02D1, Sharjah, PO box: 42180. United Arab Emirates.

Telephone +971 65096444 (Office hours 9.30am to 17.00pm)

Website www.apar.com psf.hse@apar.com **Email**

1.4 Emergency telephone number

Association / Organization Not Available **Emergency telephone numbers** +971566893936 Other emergency telephone numbers Not Available

SECTION 2 HAZARD IDENTIFICATION

2.1 Classification of the substance or mixture

Considered a dangerous mixture according to directive 1999/45/EC, Reg. (EC) No.1272/2008 (if applicable) and their amendments. Not classified as Dangerous Goods for transport purposes.

Classification according to regulation (EC) no. 1272/2008 [CLP][1]

Aspiration Hazard Category 1

1.Classified by Chemwatch

2. Classification drawn from EC Directive 67/548/EEC - Annex I Legend:

3. Classification drawn from EC Directive 1272/2008 - Annex VI

2.2 Label elements

CLP label elements



Signal word

May be fatal if swallowed and enters airways Hazard statement(s)

> If SWALLOWED: Immediately call a POISON CENTER/doctor/physician/first aider. H304

Do NOT induce vomiting. P301+P310

P331

Precautionary statement(s) Storage

Store locked up.

Dispose of contents/container to authorized chemical landfill or if organic to high temperature Precautionary statement(s) Disposal

P501 incineration.

2.3 Other hazards

Product Name : POWEROIL TOPAZ L 85 SDS (EU 878/2020) Version No.: 01 Issue Date: 1st January 2024 Page 1 of 8



Safety Data Sheet
In accordance with Regulation (EC) No.
1907/2006 (REACH), amended by

REACH - Art.57-59: The mixture does not contain Substance of Very High Concern (SVHC) at the SDS print date.

3.1 Substance			
CAS No. : 8042-47-5 EC No. : 232-455-8	% (Weight)	Name	Classification according to regulation (EC) No.1272/2008(CLP)
REACH No.: 01-2119487078-27-0181	100	White Mineral Oil (petroleum)	Aspiration Hazard Category 1 : H304

Eye Contact If this product comes in contact with eyes:

> Wash out immediately with water

> If irritation continues, seek medical attention.

Removal of contact lenses after an eye injury should only be undertaken by skilled personnel.

Skin Contact If skin or hair contact occurs:

Flush skin and hair with running water (and soap if available).

> Seek medical attention in event of irritation.

Inhalation > If fumes, aerosol or combustion products are inhaled remove from contaminated area. Other

measures are usually unnecessary.

Ingestion > Immediately give a glass of water.

First aid is not generally required. If in doubt, contact a Poisons Information Centre or a doctor.

4.2 Most important symptoms and effects, both acute and delayed

See section 11

4.3 Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

SECTION 5 FIRE FIGHTING MEASURES

5.1 Extinguishing media

- > Dry chemicals Powder.
- > Foam.
- > BCF (where regulations permit).
- > Carbon dioxide (CO2).
- ➤ Water spray or fog Large fires only.

5.2 Special hazards arising from the substrate or mixture

Fire incompatibility Avoid contamination with oxidizing agents i.e. nitrates, oxidizing acids, chlorine acids, chlorine bleaches, pool chlorine etc. as ignition may results.

bleaches, poor chilorine etc. as ignition may results

5.3 Advice for firefighters

Fire fighting Alert Fire Brigade and tell them location and nature of hazard.

> Wear full body protective clothing with breathing apparatus.

SECTION 6 ACCIDENTAL RELEASE MEASURES

6.1 Personal precautions, protective equipment and emergency procedures

Product Name : POWEROIL TOPAZ L 85

Version No. : 01 Issue Date : 1st January 2024

Page 2 of 8



Safety Data Sheet In accordance with Regulation (EC) No. 1907/2006 (REACH), amended by

See section 8

6.2 Environmental precautions

See section 12

6.3 Methods and material for containment and cleaning up

> Remove all ignitions sources.

Minor spills

- > Clean up all spills immediately.
- > Avoid breathing vapours and contact with skin and eyes.
- > Control personal contact with the substance, by using protective equipment.
- Contain and absorb spill with sand, earth, inert material or vermiculite.
- ➤ Wipe up.
- > Place in a suitable, labelled container for waste disposal.

6.4 Reference to other sections

Personal protective Equipment advice is contained in Section 8 of this SDS.

SECTION 7 HANDLING AND STORAGE

7.1 Precautions for safe handling

- > Avoid all personal contact, including inhalation.
- > Wear protective clothing when risk of exposure occurs.
- > Use in a well-ventilated area.
- > Prevent concentration in hollows and sumps.
- > DO NOT enter confined spaces until atmosphere has been checked.
- > Avoid smoking, naked lights or ignition sources.

Safe Handling

- > Avoid contact with incompatible materials. When handling, DO NOT eat, drink or smoke.
- > Keep containers securely sealed when not in use. Avoid physical damage to containers.
- > Always wash hands with soap and water after handling.
- > Work clothes should be laundered separately.
- > Use good occupational work practice.
- > Observe manufacturer's storage and handling recommendations contained within this SDS. Atmosphere should be regularly checked against established exposure standards to ensure safe working conditions.

Fire and explosion protection See section 5

Suitable container	➤ Metal can or drum
	➤ Packaging as recommended by manufacturer.
	➤ Check all containers are clearly labeled and free from leaks.
Storage incompatibility	Avoid reaction with oxidizing agents.
.3 Specific end use(s)	Section 1.2

SECTION 8 EXPOSURE CONTROLS / PERSONAL PROTECTION

8.1 Control parameters

SDS (EU 878/2020) Product Name: POWEROIL TOPAZ L 85 Version No.: 01 Issue Date: 1st January 2024

Page 3 of 8



Safety Data Sheet In accordance with Regulation (EC) No. 1907/2006 (REACH), amended by

DERIVED NO EFFECT LEVEL (DNEL) Not available PREDICTED NO EFFECT LEVEL (PNEL) Not available **OCCUPATIONAL EXPOSURE LIMITS (OEL)**

Ingredient name	Exposure limits	
White mineral oil (petroleum)	ACGIH TLV (United States, 6/2013).	
	TWA: 5 mg/m³ 8 hours. Form: Inhalable fraction	
	OSHA PEL (United States, 2/2013).	
	TWA: 5 mg/m³ 8 hours.	
8.2 Exposure controls	·	

8.2.1 Appropriate engineering controls

8.2.2 Personal protection









	3933	
Eye and face protection	➤ Safety glasses with side shields	
	➤ Chemical goggles.	
Skin protection	See Hand protection below	
Hands/feet protection	Wear general protective gloves, e.g. light weight rubber gloves.	
Body protection	See Other protection below	
Other protection	No special equipment needed when handling small quantities.	
	OTHERWISE:	
	Overalls.	
	Barrier cream.	
	Eyewash unit.	
Thermal hazards	Not Available	

Respiratory protection

Type A-P Filter of sufficient capacity. (AS/NZS 1716 & 1715, EN 143:2000 & 149:2001, ANSI Z88 or national equivalent)

8.2.3. Environmental exposure controls See section 12

SECTION 9 PHYSICAL AND CHEMICAL PROPERTIES

9.1 Information on basic physical and chemical properties

Product Name : POWEROIL TOPAZ L 85 Version No. : 01 Issue Date : 1st January 2024



Safety Data Sheet
In accordance with Regulation (EC) No.
1907/2006 (REACH), amended by

Appearance

Physical state
Color
Colorless
Form
Liquid
Odor
Odorless
Odour threshold
PH
Not applicable
Not applicable

Melting point/Pour point $< -15^{\circ}$ C (ASTM D-97)Flash pointClosed cup: $> 150^{\circ}$ CEvaporation rate< 1 (n-butyl acetate = 1)

Flammability (solid, gas) Not applicable
Flammability limits in air, No Data

lower, % by volume

Flammability limits in air, No Data

upper, % by volume

Vapour pressure <0.013 kPa (<0.1 mm Hg) [room temperature]

Vapour density >1 [Air = 1]

Density 0.810 to 0.860 at 25°C

Solubility(ies)

Solubility (water) Insoluble

Partition coefficient

(n-octanol/water)Not availableDecomposition temperatureNo DataAuto-ignition temperature> 250°C

Viscosity, Kinematic at 40°C

(104°F) 0.12 cm²/s to 0.16 cm²/s (12.00 to 16.00 cSt)

Explosive propertiesNo DataOxidising propertiesNo DataDMSO extractible compoundNil

according to IP-346

9.2 Other Information Not Available

SECTION 10 STABILITY AND REACTIVITY

10.1 Reactivity Stable.

10.2 Chemical stability Under normal conditions of storage and use, hazardous reactions will not occur.

10.3 Possibility of hazardous Avoid temperatures exceeding the flash point.

Reactions No specific data.

10.4 Conditions to avoid No specific data.

10.5 Incompatible materials Under normal conditions of storage and use, hazardous decomposition products should

10.6 Hazardous decomposition not be produced.

products

SECTION 11 TOXICOLOGICAL INFORMATION

11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

Classification according to GHS (1272/2008/EC, CLP)

Routes of exposure Inhalation. Ingestion.

Acute toxicity Not classified.

Skin corrosion/irritation Not classified. May be irritating to the skin.

Serious eye damage/eye irritation Not classified. May cause minor irritation on eye contact.

Respiratory sensitiserNot classified.Skin sensitisationNot classified.

Mutagenicity

No data available to indicate product or any components present at greater than 0.1% are

Product Name : POWEROIL TOPAZ L 85

SDS (EU 878/2020)
Version No. : 01 | Issue Date : 1st January 2024

Page 5 of 8



Safety Data Sheet In accordance with Regulation (EC) No. 1907/2006 (REACH), amended by

mutagenic or genotoxic.

Carcinogenicity No known significant effects or critical hazard Reproductive toxicity Contains no ingredient listed as toxic to reproduction.

Not classified.

Not classified.

Specific target organ toxicity

- single exposure

Specific target organ toxicity

- repeated exposure

Epidemiology No epidemiological data is available for this product.

11.2 Endocrine disrupting Not listed

There is no additional information properties

11.3 Information on other hazards

SECTION 12 ECOLOGICAL INFORMATION

12.1 Toxicity

12.2 Persistence and degradability

Ingredient	Persistence : Water/Soil	Persistence : Air	
	No data available for all ingredients	No data available for all ingredients	

12.3 Bio-accumulative potential

Ingredient	Bioaccumulation	
	No data available for all ingredients	

12.4 Mobility in soil

Ingredient	Mobility	
	No data available for all ingredients	

12.5 Results of PBT and vPvB assessment

	P	В	Т
Relevant available data	Not available	Not available	Not available
PBT Criteria fulfilled?	Not available	Not available	Not available

12.6 Endocrine disrupting

properties

Not listed No data available

12.7 Other adverse effects

SECTION 13 DISPOSAL CONSIDERATIONS

13.1 Waste treatment methods

Product / Packaging disposal

Legislation addressing waste disposal requirements may differ by country, state and/or territory. Each user must refer to laws operating in their area. In some areas, certain wastes must be tracked.

A Hierarchy of Controls seems to be common - the user should investigate:

- Reduction
- Reuse
- Recycling
- Disposal (if all else fails)

This material may be recycled if unused, or if it has not been contaminated so as to make it unsuitable for its intended use. If it has been contaminated, it may be possible to reclaim the product by filtration, distillation or some other means. Shelf life considerations should also be applied in making decisions of this type. Note that properties of a material may change in use, and recycling or reuse may not always be appropriate.

Not available Waste treatment options

Product Name : POWEROIL TOPAZ L 85 SDS (EU 878/2020) Version No.: 01 Issue Date: 1st January 2024 Page 6 of 8



Safety Data Sheet In accordance with Regulation (EC) No. 1907/2006 (REACH), amended by

Not available Sewage disposal options

SECTION 14 TRANSPORT INFORMATION

Labels Required

Marine Pollutant NO

Land transport (Not Available) NOT REGULATED FOR TRANSPORT OF DANGEROUS GOODS Air transport (ICAO-IATA/DGR) NOT REGULATED FOR TRANSPORT OF DANGEROUS GOODS NOT REGULATED FOR TRANSPORT OF DANGEROUS GOODS See transport (IMDG-Code/GGVSee) NOT REGULATED FOR TRANSPORT OF DANGEROUS GOODS

Inland waterways transport (ADN)

Transport in bulk according to Annex II of MARPOL 73/78 and the

IBC Code

SECTION 15 REGULATORY INFORMATION

15.1. Safety, health and environmental regulations / legislation specific for the substance or mixture

Not applicable

WHITE MINERAL OIL (PETROLEUM) (8042-47-5) IS FOUND ON THE FOLLOWING REGULATORY LISTS

EU REACH Regulation (EC) No 1907/2006 - Annex XVII - Restrictions on the manufacture, placing on the market and use of certain dangerous substances, mixtures and articles

European Customs Inventory of Chemical Substances ECICS (English)

European Union - European Inventory of Existing Commercial Chemical Substances (EINECS) (English) International Agency for Research on Cancer (IARC) - Agents Classified by the IARC Monographs

Netherlands Occupational Exposure Limits (Dutch)

15.2. Chemical safety assessment

Inventory status		On inventory (yes/no)*
Country(s) or region On	Inventory name	
Australia	Australian Inventory of Chemical Substances (AICS)	Yes
Canada	Domestic Substances List (DSL)	Yes
Canada	Non-Domestic Substances List (NDSL)	No
China	Inventory of Existing Chemical Substances in China (IECSC)	Yes
Europe	European Inventory of Existing Commercial Chemical Substances	Yes
Europe	(EINECS)	Yes
Japan	European List of Notified Chemical Substances (ELINCS)	No
Korea	Inventory of Existing and New Chemical Substances (ENCS)	Yes
New Zealand	Existing Chemicals List (ECL)	Yes
Philippines	New Zealand Inventory	Yes
United States & Puerto Rico	Philippine Inventory of Chemicals and Chemical Substances (PICCS)	Yes
	Toxic Substances Control Act (TSCA) Inventory	

^{*}A "Yes" indicates that all components of this product comply with the inventory requirements administered by the governing country(s) A "No" indicates that one or more components of the product are not listed or exempt from listing on the inventory administered by the governing country(s).

16 - Other Information

Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

Product Name : POWEROIL TOPAZ L 85 Version No.: 01 Issue Date: 1st January 2024

Page 7 of 8



Safety Data Sheet In accordance with Regulation (EC) No. 1907/2006 (REACH), amended by

Abbreviations

IMDG — CODE ICAO IATA International maritime dangerous goods code. International Civil Aviation Organization International air transport association

Product Name : POWEROIL TOPAZ L 85 Version No. : 01 Issue Date : 1st January 2024