

SECTION 1 IDENTIFICATION OF THE SUBSTANCE / MIXTURE AND OF THE COMPANY / UNDERTAKING

1.1 Product Identifier

Product name	POWEROIL OPAL H 500
Chemical name	Distillates (petroleum) hydrotreated heavy paraffinic
CAS No.	64742-54-7
EC No.	265-157-1

1.2 Relevant identified uses of the substances or mixture and uses advised against

Relevant identified uses	Lubricating Oil Base Stock
Uses advised against	Not applicable

1.3 Details of the supplier of the safety data sheet

Registered company name	Petroleum Specialities FZE.
Address	Hamriyah Free zone- Phase 1, Plot no. 1C-02D1, Sharjah, PO box: 42180. United Arab
Telephone	Emirates.
Website	+971 65096444 (Office hours 9.30am to 17.00pm)
Email	www.apar.com psf.hse@apar.com

1.4 Emergency telephone number

Association / Organization	Not Available
Emergency telephone numbers	+971566893936
Other emergency telephone numbers	Not Available

SECTION 2 HAZARD IDENTIFICATION

2.1 Classification of the substance or mixture

Classification (EC) no. 1272/2008	Physical and chemical Hazards	Not classified
	Human Health	Not classified
	Environment	Not Classified

Classification (1999/45/EEC) Not Classified
The Full Text for all R-Phrases and Hazard Statements are Displayed in Section 16.

2.2 Label elements

CLP label elements	Not Applicable
Signal word	No signal word
Hazard statement(s)	No known significant effects or critical hazards.
P301+P310	If SWALLOWED : Immediately call a POISON CENTER/doctor/physician/first aider.
P331	Do NOT induce vomiting.
Precautionary statement(s) Storage	
P405	Store locked up.
Precautionary statement(s) Disposal	
P501	Dispose of contents/container to authorized chemical landfill or if organic to high temperature incineration.

2.3 Other hazards Not available

SECTION 3 COMPOSITION / INFORMATION ON INGREDIENTS

3.1 Substance

1. CAS No. 2. EC No.	% (Weight)	Name	Classification according to regulation (EC) No.1272/2008(CLP)	Classification (67/548/EEC)
1. 64742-54-7	100	Distillates (petroleum),	Not classified	Not classified

2. 265-157-1		hydrotreated heavy paraffinic		
--------------	--	-------------------------------	--	--

Ingredient notes

The highly refined mineral oil contains <3% (w/w) DMSO extract, according to IP346.

SECTION 4 FIRST AID MEASURES
4.1 Description of first aid measures

Eye Contact	<p>If this product comes in contact with eyes :</p> <ul style="list-style-type: none"> ➤ Wash out immediately with water ➤ If irritation continues, seek medical attention. ➤ Removal of contact lenses after an eye injury should only be undertaken by skilled personnel.
Skin Contact	<p>If skin or hair contact occurs:</p> <ul style="list-style-type: none"> ➤ Flush skin and hair with running water (and soap if available). ➤ Seek medical attention in event of irritation. ➤ If fumes, aerosol or combustion products are inhaled remove from contaminated area. Other measures are usually unnecessary.
Inhalation	<ul style="list-style-type: none"> ➤ Immediately give a glass of water.
Ingestion	<ul style="list-style-type: none"> ➤ First aid is not generally required. If in doubt, contact a Poisons Information Centre or a doctor.

4.2 Most important symptoms and effects, both acute and delayed

See section 11

4.3 Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

SECTION 5 FIRE FIGHTING MEASURES
5.1 Extinguishing media

- Dry chemicals Powder.
- Foam.
- BCF (where regulations permit).
- Carbon dioxide (CO2).
- Water spray or fog – Large fires only.

5.2 Special hazards arising from the substrate or mixture

Fire incompatibility	➤ Avoid contamination with oxidizing agents i.e. nitrates, oxidizing acids, chlorine acids, chlorine bleaches, pool chlorine etc. as ignition may results.
----------------------	--

5.3 Advice for firefighters

Fire fighting	➤ Alert Fire Brigade and tell them location and nature of hazard.
---------------	---

➤ Wear full body protective clothing with breathing apparatus.

SECTION 6 ACCIDENTAL RELEASE MEASURES
6.1 Personal precautions, protective equipment and emergency procedures

See section 8

6.2 Environmental precautions

See section 12

6.3 Methods and material for containment and cleaning up

- Minor spills**
- Remove all ignitions sources.
 - Clean up all spills immediately.
 - Avoid breathing vapours and contact with skin and eyes.
 - Control personal contact with the substance, by using protective equipment.
 - Contain and absorb spill with sand, earth, inert material or vermiculite.
 - Wipe up.
 - Place in a suitable, labelled container for waste disposal.

SECTION 7 HANDLING AND STORAGE
7.1 Precautions for safe handling

- Safe Handling**
- Avoid all personal contact, including inhalation.
 - Wear protective clothing when risk of exposure occurs.
 - Use in a well-ventilated area.
 - Prevent concentration in hollows and sumps.
 - DO NOT enter confined spaces until atmosphere has been checked.
 - Avoid smoking, naked lights or ignition sources.
 - Avoid contact with incompatible materials. When handling, DO NOT eat, drink or smoke.
 - Keep containers securely sealed when not in use. Avoid physical damage to containers.
 - Always wash hands with soap and water after handling.
 - Work clothes should be laundered separately.
 - Use good occupational work practice.
 - Observe manufacturer's storage and handling recommendations contained within this SDS. Atmosphere should be regularly checked against established exposure standards to ensure safe working conditions.

Fire and explosion protection

See section 5

7.2 Conditions for safe storage, including any in compatibilities
Suitable container

- Metal can or drum
- Packaging as recommended by manufacturer.
- Check all containers are clearly labeled and free from leaks.

Storage incompatibility

Avoid reaction with oxidizing agents.

7.3 Specific end use(s)

Not available

SECTION 8 EXPOSURE CONTROLS / PERSONAL PROTECTION
8.1 Control parameters
DERIVED NO EFFECT LEVEL (DNEL)

Not available

PREDICTED NO EFFECT LEVEL (PNEL)

Not available

OCCUPATIONAL EXPOSURE LIMITS (OEL)

8.2 Exposure controls

8.2.1 Appropriate engineering controls

8.2.2 Personal protection



Eye and face protection

- Safety glasses with side shields
- Chemical goggles.

Skin protection

See Hand protection below

Hands/feet protection

Wear general protective gloves, e.g. light weight rubber gloves.

Body protection

See Other protection below

Other protection

No special equipment needed when handling small quantities.

OTHERWISE:

- Overalls.
- Barrier cream.
- Eyewash unit.

Thermal hazards

Not Available

Respiratory protection

Type A-P Filter of sufficient capacity. (AS/NZS 1716 & 1715, EN 143:2000 & 149:2001, ANSI Z88 or national equivalent)

8.2.3. Environmental exposure controls See section 12

SECTION 9 PHYSICAL AND CHEMICAL PROPERTIES

9.1 Information on basic physical and chemical properties
Appearance

Physical state	Liquid
Color	Colorless
Form	Liquid
Odor	Odorless
Odour threshold	Not applicable
pH	Not applicable
Melting point/Pour point	< -6°C (ASTM D-97)
Flash point	Closed cup: > 220°C
Evaporation rate	<1 (n-butyl acetate = 1)
Flammability (solid, gas)	Not applicable
Flammability limits in air, lower, % by volume	Not available
Flammability limits in air, upper, % by volume	Not available
Vapour pressure	<0.013 kPa (<0.1 mm Hg) [room temperature]
Vapour density	>1 [Air = 1]
Density	0.870 at 15°C
Solubility(ies)	
Solubility (water)	Insoluble
Partition coefficient (n-octanol/water)	Not available
Decomposition temperature	No Data
Auto-ignition temperature	> 320°C
Viscosity, Kinematic at 40°C (104°F)	0.90 cm ² /s to 1.10 cm ² /s (90.00 to 110.0 cSt)
Explosive properties	No Data
Oxidising properties	No Data

9.2 Other Information Not Available

SECTION 10 STABILITY AND REACTIVITY

10.1 Reactivity	Stable.
10.2 Chemical stability	Under normal conditions of storage and use, hazardous reactions will not occur.
10.3 Possibility of hazardous Reactions	Avoid temperatures exceeding the flash point.
10.4 Conditions to avoid	No specific data.
10.5 Incompatible materials	No specific data.
10.6 Hazardous decomposition products	Under normal conditions of storage and use, hazardous decomposition products should not be produced.

SECTION 11 TOXICOLOGICAL INFORMATION
11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008
Classification according to GHS (1272/2008/EC, CLP)

Toxic Dose 1 – LD 50	>5000 mg/kg (oral rat)
Acute toxicity :	
Acute toxicity (Dermal LD50)	>5000 mg/kg Rat
Inhalation	Not relevant at normal room temperatures. When heated, irritating vapours may be formed.
Ingestion	May cause discomfort if swallowed.
Skin contact	No specific health warnings noted.
Eye contact	No specific health warnings noted.
Health Warnings	Observe good chemical hygiene practices.
Route of entry	Ingestion. Skin and/or eye contact.
Medical Symptoms	Diarrhoea. Nausea, vomiting
11.2 Endocrine disrupting properties	Not listed.

11.3 Information on other hazards There is no additional information

SECTION 12 ECOLOGICAL INFORMATION

12.1 Toxicity

Acute fish Toxicity	No considered toxic to fish
LC50, 96 Hrs., Fish	>1000 mg/l
EC50, 48 Hrs., Daphnia	>1000 mg/l
IC 50, 72 Hrs., Algae	>1000 mg/l

12.2 Persistence and degradability

degradability	The product is not readily biodegradable.
----------------------	---

12.3 Bioaccumulative potential

Bioaccumulation potential	Will not bio-accumulate
----------------------------------	-------------------------

12.4 Mobility in soil

Mobility	The product is insoluble in water and will spread on the water surface.
-----------------	---

12.5 Results of PBT and vPvB assessment

	P	B	T
Relevant available data	Not available	Not available	Not available
PBT Criteria fulfilled?	Not available	Not available	Not available

12.6 Endocrine disrupting properties Not listed

12.7 Other adverse effects No data available

SECTION 13 DISPOSAL CONSIDERATIONS

13.1 Waste treatment methods

Product / Packaging disposal

Legislation addressing waste disposal requirements may differ by country, state and/ or territory. Each user must refer to laws operating in their area. In some areas, certain wastes must be tracked.

A Hierarchy of Controls seems to be common - the user should investigate:

- Reduction
- Reuse
- Recycling
- Disposal (if all else fails)

This material may be recycled if unused, or if it has not been contaminated so as to make it unsuitable for its intended use. If it has been contaminated, it may be possible to reclaim the product by filtration, distillation or some other means. Shelf life considerations should also be applied in making decisions of this type. Note that properties of a material may change in use, and recycling or reuse may not always be appropriate.

Waste treatment options Not available

Sewage disposal options Not available

SECTION 14 TRANSPORT INFORMATION

General The product is not covered by international regulation on the transport of dangerous goods(IMDG,IATA,ADR/RID)

14.1 UN Number	Not classified as dangerous goods for transport.
14.2 UN proper shipping name	Not applicable
14.3 Transport hazard class(es)	Not applicable
14.4 Packing group	Not applicable
14.5 Environmental hazards	Not classified as marine pollutant/environmentally hazardous.
14.6 Special precautions for user	Not applicable
14.7 Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code	Not applicable

SECTION 15 REGULATORY INFORMATION**15.1. Safety, health and environmental regulations / legislation specific for the substance or mixture**

National Regulations

Water Hazard Class (Germany) : WGK 1

15.2. Chemical safety assessment Not Available**16 - Other Information****Abbreviations**

IMDG – CODE

International maritime dangerous goods code.

ICAO

International Civil Aviation Organization

IATA

International air transport association

Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.