

Safety Data Sheet

In accordance with Regulation (EC) No. 1907/2006 (REACH), amended by

SECTION 1 IDENTIFICATION OF THE SUBSTANCE / MIXTURE AND OF THE COMPANY / UNDERTAKING

1.1 Product Identifier

Product name POWEROIL OPAL MP 250

Chemical name Distillates (petroleum) hydrotreated heavy paraffinic

CAS No. 64742-54-7 **EC No.** 265-157-1

1.2 Relevant identified uses of the substances or mixture and uses advised against

Relevant indentified uses Lubricating Oil Base Stock

Uses advised against Not applicable

1.3 Details of the supplier of the safety data sheet

Registered company name Petroleum Specialities FZE.

Address Hamriyah Free zone- Phase 1, Plot no. 1C-02D1, Sharjah, PO box: 42180. United Arab

Telephone Emirates.

Website +971 65096444 (Office hours 9.30am to 17.00pm)

Email www.apar.com

psf.hse@apar.com

1.4 Emergency telephone number

Association / Organization Not Available
Emergency telephone numbers +971566893936
Other emergency telephone Not Available

numbers

SECTION 2 HAZARD IDENTIFICATION

2.1 Classification of the substance or mixture

Classification (EC) no. 1272/2008 Physical and chemical Hazards Not classified

Human Health Not classified
Environment Not Classified

Classification (1999/45/EEC) Not Classified

The Full Text for all R-Phrases and Hazard Statements are Displayed in Section 16.

2.2 Label elements

CLP label elements Not Applicable
Signal word No signal word

Hazard statement(s) No known significant effects or critical hazards.

P301+P310 If SWALLOWED: Immediately call a POISON CENTER/doctor/physician/first aider.

P331 Do NOT induce vomiting.

Precautionary statement(s) Storage

P405 Store locked up.

Precautionary statement(s) Disposal

P501 Dispose of contents/container to authorized chemical landfill or if organic to high temperature

incineration.

2.3 Other hazards Not available

SECTION 3 COMPOSITION / INFORMATION ON INGREDIENTS

Product Name : POWEROIL OPAL MP 250

Version No. : 01 Issue Date : 1st January 2024

Page 1 of 7



Safety Data Sheet

In accordance with Regulation (EC) No. 1907/2006 (REACH), amended by

3.1 Substance					
1. CAS No.	% (Weight)	Name	Classification according to	Classification (67/548/EEC)	
2. EC No.			regulation (EC)		
			No.1272/2008(CLP)		
1. 64742-54-7	100	Distillates (petroleum),			
2. 265-157-1		hydrotreated heavy	Not classified	Not classified	
		paraffinic			

Ingredient notes

The highly refined mineral oil contains <3% (w/w) DMSO extract, according to IP346.

SECTION 4 FIRST AID MEASURES

4.1 Description of first aid measures

If this product comes in contact with eyes :

Eye Contact ➤ Wash out immediately with water

> If irritation continues, seek medical attention.

> Removal of contact lenses after an eye injury should only be undertaken by skilled personnel.

If skin or hair contact occurs:

Skin Contact > Flush skin and hair with running water (and soap if available).

> Seek medical attention in event of irritation.

> If fumes, aerosol or combustion products are inhaled remove from contaminated area. Other

measures are usually unnecessary.

> Immediately give a glass of water.

Ingestion ➤ First aid is not generally required. If in doubt, contact a Poisons Information Centre or a

doctor.

4.2 Most important symptoms and effects, both acute and delayed

See section 11

4.3 Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

SECTION 5 FIRE FIGHTING MEASURES

Inhalation

5.1 Extinguishing media

- > Dry chemicals Powder.
- > Foam.
- > BCF (where regulations permit).
- > Carbon dioxide (CO2).
- ➤ Water spray or fog Large fires only.

5.2 Special hazards arising from the substrate or mixture

Fire incompatibility

Avoid contamination with oxidizing agents i.e. nitrates, oxidizing acids, chlorine acids, chlorine bleaches, pool chlorine etc. as ignition may results.

Product Name : POWEROIL OPAL MP 250

Version No. : 01 Issue Date : 1st January 2024

Page 2 of 7



Safety Data Sheet

In accordance with Regulation (EC) No. 1907/2006 (REACH), amended by

5.3 Advice for firefighters

Fire fighting

- Alert Fire Brigade and tell them location and nature of hazard.
- > Wear full body protective clothing with breathing apparatus.

SECTION 6 ACCIDENTAL RELEASE MEASURES

6.1 Personal precautions, protective equipment and emergency procedures

See section 8

6.2 Environmental precautions

See section 12

6.3 Methods and material for containment and cleaning up

> Remove all ignitions sources.

- Minor spills > Clean up all spills immediately.
 - Avoid breathing vapours and contact with skin and eyes.
 - Control personal contact with the substance, by using protective equipment.
 - Contain and absorb spill with sand, earth, inert material or vermiculite.
 - ➤ Wipe up.
 - Place in a suitable, labelled container for waste disposal.

SECTION 7 HANDLING AND STORAGE

7.1 Precautions for safe handling

- Avoid all personal contact, including inhalation.
- > Wear protective clothing when risk of exposure occurs.
- Use in a well-ventilated area.
- > Prevent concentration in hollows and sumps.
- > DO NOT enter confined spaces until atmosphere has been checked.
- Avoid smoking, naked lights or ignition sources.
- Avoid contact with incompatible materials. When handling, DO NOT eat, drink or smoke.
- > Keep containers securely sealed when not in use. Avoid physical damage to containers.
- Always wash hands with soap and water after handling.
- > Work clothes should be laundered separately.
- ➤ Use good occupational work practice.
- > Observe manufacturer's storage and handling recommendations contained within this SDS. Atmosphere should be regularly checked against established exposure standards to ensure safe working conditions.

Fire and explosion protection

See section 5

7.2 Conditions for safe storage, including any in compatibilities

Suitable container

- ➤ Metal can or drum
- > Packaging as recommended by manufacturer.
- > Check all containers are clearly labeled and free from leaks.

Product Name : POWEROIL OPAL MP 250 Version No.: 01 Issue Date: 1st January 2024

Safe Handling



Safety Data Sheet

In accordance with Regulation (EC) No. 1907/2006 (REACH), amended by

Storage incompatibility	Avoid reaction with oxidizing agents.	
7.3 Specific end use(s)	Not available	

SECTION 8 EXPOSURE CONTROLS / PERSONAL PROTECTION

8.1 Control parameters

DERIVED NO EFFECT LEVEL (DNEL)

Not available

PREDICTED NO EFFECT LEVEL (PNEL)

Not available

OCCUPATIONAL EXPOSURE LIMITS

(OEL)

8.2 Exposure controls

8.2.1 Appropriate engineering controls

8.2.2 Personal protection









Eye and face protection	➤ Safety glasses with side shields		
	➤ Chemical goggles.		
Skin protection	See Hand protection below		
Hands/feet protection	Wear general protective gloves, e.g. light weight rubber gloves.		
Body protection	See Other protection below		
Other protection	No special equipment needed when handling small quantities.		
	OTHERWISE:		
	Overalls.		
	Barrier cream.		
	Eyewash unit.		
Thermal hazards	Not Available		

Respiratory protection

Type A-P Filter of sufficient capacity. (AS/NZS 1716 & 1715, EN 143:2000 & 149:2001, ANSI Z88 or national equivalent)

8.2.3. Environmental exposure controls See section 12

SECTION 9 PHYSICAL AND CHEMICAL PROPERTIES

Product Name : POWEROIL OPAL MP 250 Version No. : 01 Issue Date : 1st January 2024



Safety Data Sheet

In accordance with Regulation (EC) No. 1907/2006 (REACH), amended by

9.1 Information on basic physical and chemical properties

Appearance

Physical state
Color
Colorless
Form
Liquid
Odor
Odorless
Odour threshold
PH
Not applicable
Not applicable

Melting point/Pour point $< -12^{\circ}$ C (ASTM D-97)Flash pointClosed cup: $> 240^{\circ}$ CEvaporation rate<1 (n-butyl acetate = 1)

Flammability (solid, gas) Not applicable

Flammability limits in air, 0.9

lower, % by volume

Flammability limits in air, 7.0

upper, % by volume

Vapour pressure <0.013 kPa (<0.1 mm Hg) [room temperature]

Vapour density >1 [Air = 1] Density 0.845 at 15° C

Solubility(ies)

Solubility (water) Insoluble

Partition coefficient

(n-octanol/water) Not available
Decomposition temperature No Data
Auto-ignition temperature > 320°C

Viscosity, Kinematic at 40°C (104°F) 0.40 cm²/s to 0.50 cm²/s (40.00 to 50.00 cSt)

Explosive properties No Data **Oxidising properties** No Data

9.2 Other Information Not Available

SECTION 10 STABILITY AND REACTIVITY

10.1 Reactivity Stable.

10.2 Chemical stability Under normal conditions of storage and use, hazardous reactions will not occur.

10.3 Possibility of hazardous Reactions Avoid temperatures exceeding the flash point.

10.4 Conditions to avoid No specific data.10.5 Incompatible materials No specific data.

10.6 Hazardous decomposition Under normal conditions of storage and use, hazardous decomposition products should

products not be produced.

SECTION 11 TOXICOLOGICAL INFORMATION

11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

Classification according to GHS (1272/2008/EC, CLP)

Toxic Dose 1 – LD 50 >5000 mg/kg (oral rat)

Acute toxicity:

Acute toxicity (Dermal LD50) >5000 mg/kg Rat

Inhalation Not relevant at normal room temperatures. When heated, irritating vapours may be formed.

IngestionMay cause discomfort if swallowed.Skin contactNo specific health warnings noted.Eye contactNo specific health warnings noted.Health WarningsObserve good chemical hygiene practices.

Route of entry Ingestion. Skin and/or eye contact.

Medical Symptoms Diarrhoea. Nausea, vomiting

11.2 Endocrine disrupting Not listed.

Product Name : POWEROIL OPAL MP 250 Version No. : 01 Issue Date : 1st January 2024



Safety Data Sheet

In accordance with Regulation (EC) No. 1907/2006 (REACH), amended by

properties There is no additional information

11.3 Information on other hazards

C	ECTIO	NI 10	ECOLO	CICALI	NEODM	ATION
- 2		IN IZ	ECOLO	JIUAL I	INFURM	AHUN

12.1 Toxicity

Acute fish Toxicity

No considered toxic to fish

LC50, 96 Hrs., Fish >1000 mg/l EC50, 48 Hrs., Daphnia >1000 mg/l IC 50, 72 Hrs., Algae >1000 mg/l

12.2 Persistence and degradability

degradability The product is not readily biodegradable.

12.3 Bioaccumulative potential

Bioaccumulation potential Will not bio-accumulate

12.4 Mobility in soil

Mobility The product is insoluble in water and will spread on the water surface.

12.5 Results of PBT and vPvB assessment

	Р	В	Т
Relevant available data	Not available	Not available	Not available
PBT Criteria fulfilled?	Not available	Not available	Not available

12.6 Endocrine disrupting

Not listed

properties

No data available

12.7 Other adverse effects

SECTION 13 DISPOSAL CONSIDERATIONS

13.1 Waste treatment methods

Legislation addressing waste disposal requirements may differ by country, state and/or territory. Each user must refer to laws operating in their area. In some areas, certain wastes must be tracked

A Hierarchy of Controls seems to be common - the user should investigate:

- Reduction
- Reuse
- Product / Packaging disposal
- Recycling
- Disposal (if all else fails)

This material may be recycled if unused, or if it has not been contaminated so as to make it unsuitable for its intended use. If it has been contaminated, it may be possible to reclaim the product by filtration, distillation or some other means. Shelf life considerations should also be applied in making decisions of this type. Note that properties of a material may change in use, and recycling or reuse may not always be appropriate.

Waste treatment options Not available

Sewage disposal options Not available

SECTION 14 TRANSPORT INFORMATION

General The product is not covered by international regulation on the transport of dangerous

goods(IMDG,IATA,ADR/RID)

14.1 UN Number Not classified as dangerous goods for transport.

14.2 UN proper shipping name
14.3 Transport hazard class(es)
14.4 Packing group
Not applicable
Not applicable

14.5 Environmental hazards Not classified as marine pollutant/environmentally hazardous.

14.6 Special precautions for user14.7 Transport in bulk according toNot applicableNot applicable

Annex II of MARPOL 73/78 and the

IBC Code

Product Name : POWEROIL OPAL MP 250 Version No. : 01 Issue Date : 1st January 2024

SDS (EU 878/2020) Page 6 of 7



Safety Data Sheet

In accordance with Regulation (EC) No. 1907/2006 (REACH), amended by

SECTION 15 REGULATORY INFORMATION

15.1. Safety, health and environmental regulations / legislation specific for the substance or mixture

National Regulations

Water Hazard Class (Germany): WGK 1

15.2. Chemical safety assessment

Not Available

16 - Other Information

Abbreviations

IMDG - CODE

ICAO

IATA

Disclaimer

International maritime dangerous goods code.

International Civil Aviation Organization

International air transport association

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not

to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

Product Name : POWEROIL OPAL MP 250 Version No. : 01 Issue Date : 1st January 2024